



CC Testing Labs, Inc.
18417 Bryant St
Northridge, CA 91325

818-797-1500
http://www.cctestingslabs.com
LIC# C8-0000068-LIC
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.

BATCH RESULT: PASS

SAMPLE: FUTURE HAZE

CLIENT:

COMPLETED: MAR 05, 2024



METRC SAMPLE: N/A / METRC BATCH: N/A

BATCH NO.:
MATRIX: FLOWER
CATEGORY: INHALABLE
SAMPLE ID:
COLLECTED ON: MAR 05, 2024
RECEIVED ON: MAR 05, 2024
SAMPLE SIZE: 6 G

CULTIVATOR

TOTAL THC: 35.397 %
TOTAL CBD: 0.280 %
TOTAL CANNABINOIDS: 38.631 %

BATCH RESULT: PASS


MOISTURE POTENCY
COMPLETE COMPLETE

CANNABINOIDS BY HPLC: CCTL-PM-002 // MAR 05, 2024

ANALYTE	LIMIT	AMT (%)	AMT (mg/g)	LOD/LOQ (mg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (%)	AMT (mg/g)	LOD/LOQ (mg/g)	PASS/FAIL
CBC		ND	ND	0.1569/0.3139	N/A	Δ ⁸ -THC		ND	ND	0.1569/0.3139	N/A
CBD	0.218	2.18	2.18	0.1569/0.3139	N/A	Δ ⁹ -THC		ND	ND	0.1569/0.3139	N/A
CBDA	0.071	0.71	0.71	0.1569/0.3139	N/A	THCA	40.361	403.61	403.61	0.1569/0.3139	N/A
CBDV		ND	ND	0.1569/0.3139	N/A	THCV		ND	ND	0.1569/0.3139	N/A
CBG	0.073	0.73	0.73	0.1569/0.3139	N/A	TOTAL THC**		35.397	353.97		N/A
CBGA	3.012	30.12	30.12	0.1569/0.3139	N/A	TOTAL CBD**		0.280	2.80		N/A
CBN		ND	ND	0.1569/0.3139	N/A						

** TOTAL THC = DELTA-8-THC + (DELTA-8-THCA X 0.877) + DELTA-9-THC + (THCA X 0.877)

** TOTAL CBD = CBD + (CBDA X 0.877)

DRY-WEIGHT AMOUNTS SHOWN

James W. Cox

James W. Cox
Laboratory Director
MAR 05, 2024

This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This certificate shall not be reproduced except in full without the written approval of CCTL. Samples were collected as per 4 CCR Section 15707.